

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

1 W R for State or Fee Land

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed

OW

WW

TA

GW

OS

PA

Location Inspected

Bond released

State of Fee Land

LOGS FILED

Driller's Log

Electric Logs (No.)

E

I

E-I

GR

GR-N

Micro

Lat

Mi-L

Sonic

Others

LWP
7-19-91

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo Tribal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allettee _____

Lease No. 14-20-603-403

★ Corrected

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 7, 19 61

★
Well No. 1 Hogan is located 330 ft. from N line and 400 ft. from E line of sec. 30

NW/4 NW/4 Sec. 30 T41S R23E
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan County Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4753 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We plan to drill 20' into the Pennsylvanian Salt or to a maximum depth of 6,100'. Will set 150 feet 7 5/8" surface casing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company E. B. LaRue, Jr.

Address 2422 Republic Nat'l Bank Bldg.

Dallas 1, Texas

By E. B. LaRue

Title Operator

COMPANY E. B. LA RUE, JR.


Well Name & No. _____ Lease No. _____

Location 330' FROM THE NORTH LINE AND 400' FROM THE WEST LINE.

Being in NW $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$

Sec. 30, T 41 S, R 23 E, S.L.M. SAN JUAN COUNTY, UTAH

Ground Elevation 4743.0 UNGRADED GROUND.




Scale -- 4 inches equals 1 mile

Surveyed 2 August, 1961

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

James P. Leese
Registered Professional
Engineer and Land Surveyor.
James P. Leese
Utah Reg. No. 1472




Alamogordo, New Mexico

CERTIFIED PLAT OF SURVEY

TRACT NO. 60

T. 41 S., R. 23 E., San Juan County, Utah




Bearings for this survey are based on the Utah State Plane Coordinate bearing of N. 9° 43' 51.9" E. between U.S.G.S. triangulation stations "Oil" and "Hogan", which is westerly 1° 14' 09.6" from the geodetic azimuth of the line Oil to Hogan.

Elevations shown are developed from vertical angle observations originating from two U.S.G.S. 1950 bench marks on road between Teec Nos Pas and Mexican Water Trading Posts.

I, H. Fred Peterson, hereby certify that I am a Licensed Land Surveyor of the State of Utah, and that this map correctly represents a survey completed under my supervision on April 18, 1955, and that all monuments shown hereon as set actually existed on that date and their positions are correctly shown.

Dated this 20th day of May, 1955.

H. Fred Peterson
L. S. 1446



E. B. LARUE, JR.

LARUE BUILDING

P. O. BOX 209

ATHENS, TEXAS

August 8, 1961

Mr. Cleon Feight
Utah Oil & Conservation Commission
Room 140
State Capitol Building
Salt Lake City 14, Utah

Dear Mr. Feight:

In line with our conversation, I plan to drill a Pennsylvanian well in the NW/4 NW/4 of Section 30, T41S, R23E S.L.M., San Juan County, Utah. The San Juan Engineering Co. has just advised me that a 200 foot high ridge lying over most of the NW/4 of Section 30 makes it almost impossible to drill a regular 660 foot location. We can build a location 330 feet from the north line and 400 feet from the west line and avoid both the ridge and a deep drainage ditch.

I have contacted Shell Oil Co. and Humble Oil & Refining Co., requesting that they write you of their consent. I will appreciate your calling me as soon as you can approve this location.

Enclosed are two copies of the Notice of Intention to Drill, two copies of location plat and one copy of the lease survey.

Yours very truly,

E. B. LaRue Jr.
E. B. LaRue, Jr.

EBL, Jr/ash

Enclosures

1142

CLASS OF SERVICE

This is a fast message unless its deferred character is indicated by the proper symbol.

WESTERN UNION

TELEGRAM

W. P. MARSHALL, PRESIDENT

SF-1201 (4-60)

SYMBOLS

DL = Day Letter

NL = Night Letter

LT = International Letter Telegram

The filing time shown in the date line on domestic telegrams is LOCAL TIME at point of origin. Time of receipt is LOCAL TIME at point of destination

DUPLICATE OF TELEPHONED TELE

1961 AUG 8 AM 11 05

LA361

L FRA028 PD FARMINGTON NMEX 8 1042A MST

CLEON FEIGHT

STATE OF UTAH CONSERVATION COMM STATE CAPITOL BLDG SALT LAKE CITY UTAH

THIS IS TO ADVISE YOU THAT SHELL OIL CO HAS NO OBJECTION TO THE UNORTHODOX LOCATION PROPOSED BY E B LARUE JR OF ATHENS TEXAS. AS WE UNDERSTAND IT THIS LOCATION WILL BE APPROXIMATELY 200 FEET SOUTH OF NORTH LINE AND 200 FEET EAST OF WEST LINE OF SECTION 30 TOWNSHIP 41 SOUTH RANGE 23 EAST SLM SAN JUAN COUNTY UTAH

R L FREEMAN DIST LAND AGENT SHELL OIL CO

Da 85111

200 200 30 41 23

AUG 10 1961

Ho 1140a mld

ENCO

HUMBLE OIL & REFINING COMPANY
CENTRAL REGION

POST OFFICE BOX 120 • DENVER 1, COLORADO

DENVER AREA

RAYMOND D. SLOAN
AREA MANAGER
RICHARD S. HICKLIN
AREA EXPLORATION MANAGER
J. ROY DORROUGH
AREA PRODUCTION MANAGER
G. T. PHIPPS
AREA MARKETING MANAGER

August 10, 1961

Utah Oil & Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah

Attention: Mr. Cleon Feight

Re: Request of E. B. LaRue for Exception to Normal Location
In Sec. 30 - T. 41S - R. 23E, San Juan County, New Mexico


Gentlemen:

This will advise that Humble Oil & Refining Company has no objection to the request of Mr. E. B. LaRue for permission to drill a well for oil and gas at a location which is approximately 200 feet south of the north line and 200 feet east of the west line of Section 30 described above. Topographical conditions make it difficult for Mr. LaRue to drill the well at the location required by the rules and regulations of the Commission.

Very truly yours,

HUMBLE OIL & REFINING COMPANY

By


Raymond D. Sloan, Manager
Denver Area
Central Region

RDS(JDK):cc



August 11, 1961

Mr. E. B. LaRue, Jr.
P. O. Box 209
Athens, Texas

Dear Mr. LaRue:

This is to acknowledge receipt of your notice of intention to drill Well No. #1 Hoggan, which is to be located 330 feet from the north line and 400 feet from the west line of Section 30, Township 41 South, Range 23 East, SLBM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well on said unorthodox location is hereby granted in accordance with Rule C-3 (c), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT,
EXECUTIVE SECRETARY

CBF:avg

cc: P. T. McGrath, Dist. Eng.
U. S. Geological Survey

H. L. Coonts - OGCC, Moab

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo Tribal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allettee _____

Lease No. 14-20-603-403

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 27, 1961

Well No. 1 Hogan is located 330 ft. from N line and 400 ft. from E line of sec. 30

NW/4 NW/4 Sec. 30 T41S R23E _____
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan County Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4753 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- 8-29-61 Spudded
- 8-30-61 Set 110 13 3/8" casing with 125 sks.
- 8-31-61 Presured up to 1000#.
- 9- 5-61 Set 2675' 8 5/8" 26# casing and cemented to 1600'.
- 9-21-61 Cored 5575-5600. 5570-5576 good porosity and fluourescence.
- 9-22-61 Ran DST #1. Packer at 5568' to 5600' TD. Open two hours. Good blow of air immediately. Gas to surface in two hours too small to measure. Recovered 30' HGCMO 90' HGOCM 122' HG and SLOCM IH 2620 FH 2620 ISIP 1915 IFP 28 FFP 85 ISIP 110.
- 9-27-61 Drilled to 6224 and logged.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company E. B. LaRue, Jr.

Address 2422 Republic Nat'l Bank Bldg.

Dallas 1, Texas

By E. B. La Rue

Title Operator

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo Tribal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allettes _____

Lease No. 14-20-603-403

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 27, 1961

Well No. 1 Hogan is located 330 ft. from N line and 400 ft. from E line of sec. 30

NW/4 NW/4 Sec. 30 T41S R23E _____
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan County Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4753 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We plan to plug today as follows:

500' - 600'	50 sks.
4500' - 4600'	50 sks.
5600' - 5700'	50 sks.
5750' - 5850'	50 sks.

6 sks. at surface for dry hole marker.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company E. B. LaRue, Jr.

Address 2422 Republic Nat'l Bank Bldg.

Dallas 1, Texas

By E. B. LaRue, Jr.

Title Operator

X							

LOCATE WELL CORRECTLY

STATE OF UTAH

OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah

To be kept Confidential until _____
(Not to exceed 4 months after filing date)

LOG OF OIL OR GAS WELL

Operating Company E. B. LaRue, Jr. Address 2422 Republic National Bank Bldg.
Lease or Tract _____ Field Wildcat State Utah
Well No. 1 Hogan Sec. 30 T. 41S R. 23E Meridian _____ County San Juan
Location 330 ft. S of N Line and 440 ft. E of W Line of Section 30 Elevation 4753
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed _____

Date January 15, 1962

Title Operator

The summary on this page is for the condition of the well at above date.

Commenced drilling August 29, 1961 Finished drilling September 27, 1961

OIL OR GAS SANDS OR ZONES

No commercial oil or gas zones. (Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
13 3/8	24#	8	J-55	100'					
8 5/8	24#	8	J-55	2686'					

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
See	plugging notice				

PLUGS AND ADAPTERS

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from _____ feet to 6224' feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

Date P & A _____, 19____ Put to producing _____, 19____

The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

~~Standard-Fryer Drilling Company~~ Driller _____, Driller

_____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
			At the end of complete Driller's Log add Geologic Tops. State whether from Electric Logs or samples.
4560'			Hermosa
5267'			Upper Ismay
5566'			Lower Ismay
5630'			Paradox
5646'			Desert Creek
5790'			Akah
5820'			Salt

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or hauling.


State whether electric logs were run.

1-1-61 1000'
1-1-61 1000'

8-29-61 Spudded.
8-30-61 Set 110 13 3/8" casing with 125 sks.
8-31-61 Presured up to 1000#.
9-5-61 Set 2675' 8 5/8" casing and cemented to 1600'.
9-21-61 Cored 5575-5600. 5570-5576 good porosity and fluourescence.
9-22-61 Ran DST #1. Packer at 5568' to 5600' TD. Open two hours. Good blow of air immediately. Gas to surface in two hours too small to measure. Recoverd 30' HGCM 90' HGOCM 122' HG and SLOCM
IH 2620 FH 2620 ISIP 1915 IFP 28 FFP 85 ISIP 110.
9-27-61 Drilled to 6224' and logged.

TOP OF OIL OR GAS SAND OR ZONE

TOP OF OIL OR GAS MERE



TO BE FILL (CONTINUOUS) WITH

February 2, 1962

Mr. E. B. LaRue, Jr.
P. O. Box 209
Athens, Texas

Re: Well No. 1 Hogam,
Sec. 30, T. 41 S., R. 23 E.,
San Juan County, Utah

Dear Mr. LaRue:

This letter is to advise you that we have not received any status reports on the above mentioned well since the filing of your notice of intention to drill in August, 1961. We noticed in the Utah Oil Report that this well was plugged and abandoned September 27, 1961, so therefore the well log for this well is due and has not as yet been filed with this office as required by our rules and regulations.

Please complete the enclosed Forms OGCC-3, "Log of Oil or Gas Well", in duplicate and forward them to this office as soon as possible. Two legible copies of the U. S. Geological Survey Form 9-330 may be used in lieu of our forms.

Copies of all electric and/or radioactivity logs that may have been run should also be filed with this office.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANN W. GLINES,
RECORDS CLERK

AWG: kpb
Enclosures: (3)

E. B. LARUE, JR.

2422 REPUBLIC NATIONAL BANK BUILDING

DALLAS, TEXAS

February 8, 1962

Mrs. Ann W. Glines, Records Clerk
Oil & Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah

Dear Mrs. Glines:

Enclosed are completed copies of Form OGCC-3 and copies of the Radioactivity Log, Forxo Log, Guard Log and Induction-Electrical Log, as requested in your letter of February 2, 1962.

Yours very truly,



E. B. LaRue, Jr.

EBL,Jr/ash

Enclosures

February 14, 1962

Mr. E. B. LaRue, Jr.
P. O. Box 209
Athens, Texas

Re: Well No. #1 Hogam,
Sec. 30, T. 41 S., R. 23 E.,
San Juan County, Utah

Dear Mr. LaRue:

We have received copies of the well log and mechanical logs on the subject well but note the following discrepancies on the well log. On said log, we noted the location of this well to be 440' from the east line whereas the original notice gave it as 400'. The well log gave the well name as the #1 Hogan where the original notice called it the #1 Hogam. Would you please advise us which of the above are correct.

We have not received copies of the Sundry Notices on this well which you filed with the U. S. Geological Survey. Would you please furnish us with a copy of each such notice including the Subsequent Report of Abandonment detailing the plugs set and giving a date of plugging and abandonment.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ROBERT L. SCHMIDT,
CHIEF PETROLEUM ENGINEER

RLS:kpb

12-2

E. B. LARUE, JR.

2422 REPUBLIC NATIONAL BANK BUILDING

DALLAS, TEXAS

February 20, 1962

Mr. Robert L. Schmidt
Oil & Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah

Dear Mr. Schmidt:

In reply to your letter of February 14, the correct location of our No. 1 Hogan is 400 feet east of the west line and 330 feet south of the north line. The correct name is No. 1 Hogan.

Enclosed are the Sundry Notices as requested.

Yours very truly,

E. B. LaRue, Jr.

E. B. LaRue, Jr.

EBL,Jr/ash

Enclosures

76